

LBBC Baskerville Stanningley Leeds, UK LS28 6PT

☎: +44 (0)113 205 7413
⊠: sales@lbbcbaskerville.co.uk
Web: https://lbbcbaskerville.com

Title: Enquiry Form for New Equipment

Company Name:							
Contact Name:							
	Tel:						
Е	mail:						
	Date:						
PHYSICAL DET	TAILS						
Total Internal Volume:		Dimensions/Shape:		Maximum Working Pressure:		Maximum Working Temperature:	
EXTERNAL FIT	TING	S					
Gas Inlet Valve:	Vent	Valve:	Sample Outlet Valve:	Pressure Gauge:	Pressure Transducer:		Relief Valve:
Bursting Disc:	Coup holde		Cooling Coil:	Conax Electrode Glands:	pH probe:		Electrochemical Probes:
Additional:							
INTERNAL FIT	TINGS	5					
Thermowell:	Dip Tube:		Cooling Coil:	Coupon Holder:	Coupons:		Liner:
Additional:							
STATIC/AGITA	TION						
Static Non- Agitated:	Gland Magr Agita		Glanded Agitator:	Agitator with Cylindrical Mounted Coupons:	Agitator with Coupon Cage:		
Additional:							
MATERIAL OF CONSTRUCTION							
Stainless Steel 316/316L:	Haste C276		Nickel Grade:	Monel Grade:	Titaniu Grade:		Tantalum Treated 316:
Other:							



INSTALLATION		
Design:	Management:	Construction:

SPECIFIC DESIGN DETAILS

SPECIFIC DESIGN DETAILS					
CLOSURE	Fast Release Clamp:	Bolted Closure:	Split-Clamp & Bolts:	Screwed:	
SEAL	Viton:	Kalrez:	PTFE:	PFA Encapsulated Viton:	
	Grafoil:	Copper:	Lead:	Silver:	
FIXED	Head:	Vessel:	Neither:		
LIFTING	Screw Jack:	C/Balance:	Hoist:	Neither:	
EQUIPMENT					
CONTROL SYSTEM	Temperature Control:	O/Temp Control:	Pressure Control:	RPM Tachometer:	
	Chart Recorder:	Pressure Indication:	Mass Gas Flow:	Data Logging:	
LOCATION	Bench top:	Floor Mounting:	Fume Cupboard:	High Pressure Cell:	
ANCILLARY EQUIP	Dump Tank:	Reservoir Tank:	Sample Cylinder:	Charge Cylinder:	
	High Press Gas Pump:	Recirculating Pump:	Window Sapphire:	Window Glass:	
	·				

TESTING REQUIREMENTS/CYCLE TIME / REACTION / SAFETY / SPECIAL CONDITIONS	



THE REMAINDER IS FOR ANY SKETCHES, ETC., YOU MAY CARE TO MAKE.

For further information contact our team on: